

# EUSINK KITCHEN EQUIPMENT

MANUFACTURER FOR STAINLESS KITCHEN EQUIPMENTS



Design and dimensions are subject to modification



[www.eusink.com](http://www.eusink.com)

Qingdao Eusink Industrial Ltd.  
86-18866208073

No.37 Haier Road, Qingdao Shandong, China, 266100  
dom@eusink.com

- 1).Excellent surface treatment(N4) with material SS304/201 , easy to clean and install,corrosion resistant.
- 2).Sheet thickness selected between 0.6mm-1.5mm,very sturdy.
- 3).The bowl is made of welding(R19) with thick and durable.The legs are assembled by bolts to reduce packaging space and facilitate transportation. All welded are available.
- 4).Design and dimensions are subject to modification !

Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H)	Bowl Size (mm)	Picture
CS1-L600	One Compartment Sink	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	600x600x800	450x400x250	
		Stainless Steel 304	Stainless Steel 304				
CS1-L650	One Compartment Sink	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	650x650x800	500x450x250	
		Stainless Steel 304	Stainless Steel 304				
CS1-L700	One Compartment Sink	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	700x700x800	550x500x250	
		Stainless Steel 304	Stainless Steel 304				
CS1-L750	One Compartment Sink	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	750x750x800	600x550x250	
		Stainless Steel 304	Stainless Steel 304				
CS1-1270D	One Compartment Sink with 1 Drainboard	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x700x800	500x500x250	
		Stainless Steel 304	Stainless Steel 304				
CS1-12750D	One Compartment Sink with 1 Drainboard	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x750x800	500x550x250	
		Stainless Steel 304	Stainless Steel 304				
CS1-1570D	One Compartment Sink with 1 Drainboard	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x700x800	650x500x250	
		Stainless Steel 304	Stainless Steel 304				



Confused? Please contact us for any questions



[www.eusink.com](http://www.eusink.com)

# EUSINK COMMERCIAL SINK STAINLESS STEEL

Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Bowl Size (mm)	Picture
CS1-1575D	One Compartment Sink with 1 Drainboard	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x750x800	650x550x250	
		Stainless Steel 304	Stainless Steel 304				
CS2-1260	Two Compartment Sinks	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x600x800	500x400x250*2	
		Stainless Steel 304	Stainless Steel 304				
CS2-1265	Two Compartment Sinks	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x650x800	500x400x250*2	
		Stainless Steel 304	Stainless Steel 304				
CS2-1270	Two Compartment Sinks	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x700x800	500x500x250*2	
		Stainless Steel 304	Stainless Steel 304				
CS2-1275	Two Compartment Sinks	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x750x800	500x550x250*2	
		Stainless Steel 304	Stainless Steel 304				
CS2-1570D	Two Compartment Sinks with 1 Drainboard	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x700x800	450x500x250*2	
		Stainless Steel 304	Stainless Steel 304				
CS2-1575D	Two Compartment Sinks with 1 Drainboard	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x750x800	450x550x250*2	
		Stainless Steel 304	Stainless Steel 304				



Confused? Please contact us for any questions



[www.eusink.com](http://www.eusink.com)

Qingdao Eusink Industrial Ltd.  
☎ 86-18866208073

No.37 Haier Road, Qingdao Shandong, China, 266100  
✉ dom@eusink.com

# EUSINK COMMERCIAL SINK STAINLESS STEEL

Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Bowl Size (mm)	Picture
CS2-1870D	Two Compartment Sinks with 1 Drainboard	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x700x800	500x500x250*2	
		Stainless Steel 304	Stainless Steel 304				
CS2-1875D	Two Compartment Sinks with 1 Drainboard	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x750x800	500x550x250*2	
		Stainless Steel 304	Stainless Steel 304				
CS3-1570	Three Compartment Sinks	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x700x800	400x500x250*3	
		Stainless Steel 304	Stainless Steel 304				
CS3-1575	Three Compartment Sinks	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x750x800	400x550x250*3	
		Stainless Steel 304	Stainless Steel 304				
CS3-1860	Three Compartment Sinks	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x600x800	500x400x250*3	
		Stainless Steel 304	Stainless Steel 304				
CS3-1865	Three Compartment Sinks	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x650x800	500x450x250*3	
		Stainless Steel 304	Stainless Steel 304				
CS3-1870	Three Compartment Sinks	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x700x800	500x500x250*3	
		Stainless Steel 304	Stainless Steel 304				



Confused? Please contact us for any questions



[www.eusink.com](http://www.eusink.com)

# EUSINK COMMERCIAL SINK STAINLESS STEEL

Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Bowl Size (mm)	Picture
CS3-1875	Three Compartment Sinks	Stainless Steel 201 Stainless Steel 304	Stainless Steel 201 Stainless Steel 304	1.0mm (0.6mm-1.5mm are available)	1800x750x800	500x550x250*3	

## OTHER STYLES AVAILABLE:



**EUROPEAN**



**AMERICAN**



Confused? Please contact us for any questions



[www.eusink.com](http://www.eusink.com)

Qingdao Eusink Industrial Ltd.  
86-18866208073

No.37 Haier Road, Qingdao Shandong, China, 266100  
dom@eusink.com

## Pressed Sink Bowl Sizes (Bowl only)

Dimeinsion(L x W x H )(mm)	Shape	Material	Thickness
400x300x200	Rectangle-Pressed	S/S 304	1.0mm
400x400x250	Rectangle-Pressed	S/S 304	1.0mm
400x400x250	Rectangle-Pressed	S/S 201	1.0mm
400x400x300	Rectangle-Pressed	S/S 304	1.0mm
400x450x250	Rectangle-Pressed	S/S 304	1.0mm
400x450x250	Rectangle-Pressed	S/S 201	1.0mm
400x500x250	Rectangle-Pressed	S/S 304	1.0mm
400x500x250	Rectangle-Pressed	S/S 201	1.0mm
400x500x300	Rectangle-Pressed	S/S 304	1.0mm
450x450x300	Rectangle-Pressed	S/S 304	1.0mm
500x500x250	Rectangle-Pressed	S/S 304	1.0mm
500x500x250	Rectangle-Pressed	S/S 201	1.0mm
500x500x300	Rectangle-Pressed	S/S 304	1.0mm
500x600x300	Rectangle-Pressed	S/S 304	1.0mm
Diameter 340 x depth 125	Round-Pressed	S/S 304	1.0mm
380 x 310 x depth 135	Oval-Pressed	S/S 304	1.0mm
480 x 360 x depth 135	Oval-Pressed	S/S 304	1.0mm

with center waste hole(88 mm)



Confused? Please contact us for any questions



[www.eusink.com](http://www.eusink.com)

Qingdao Eusink Industrial Ltd.  
86-18866208073

No.37 Haier Road, Qingdao Shandong, China, 266100  
dom@eusink.com

# EUSINK WORK TABLE STAINLESS STEEL

Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Picture
WT2-8050	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	800x500x800	
		Stainless Steel 304	Stainless Steel 304			
WT2-8060	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	800x600x800	
		Stainless Steel 304	Stainless Steel 304			
WT2-10050	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1000x500x800	
		Stainless Steel 304	Stainless Steel 304			
WT2-10060	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1000x600x800	
		Stainless Steel 304	Stainless Steel 304			
WT2-12060	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x600x800	
		Stainless Steel 304	Stainless Steel 304			
WT2-12080	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x800x800	
		Stainless Steel 304	Stainless Steel 304			

- 1).With its heavy, easy-to-clean surface and overall functional design, you can organize your kitchen and create an efficient workflow.
- 2).Very solid and durable prep table,easy to assemble!
- 3).Stainless steel legs and galvanized legs are available.
- 4).Sheet thickness selected between 0.7mm-1.5mm.
- 5).Design and dimensions are subject to modification !



Confused? Please contact us for any questions

[www.eusink.com](http://www.eusink.com)

Qingdao Eusink Industrial Ltd.  
☎ 86-18866208073

No.37 Haier Road, Qingdao Shandong, China, 266100  
✉ dom@eusink.com

# EUSINK WORK TABLE STAINLESS STEEL

Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Picture	
WT2-15060	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x600x800		
		Stainless Steel 304	Stainless Steel 304				
WT2-15080	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x800x800		
		Stainless Steel 304	Stainless Steel 304				
WT2-18060	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x600x800		
		Stainless Steel 304	Stainless Steel 304				
WT2-18080	Double-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x800x800		
		Stainless Steel 304	Stainless Steel 304				
WT3-8050	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	800x500x800		
		Stainless Steel 304	Stainless Steel 304				
WT3-8050	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	800x600x800		
		Stainless Steel 304	Stainless Steel 304				
WT3-10050	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1000x500x800		
		Stainless Steel 304	Stainless Steel 304				
WT3-10060	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1000x600x800		
		Stainless Steel 304	Stainless Steel 304				



Confused? Please contact us for any questions



[www.eusink.com](http://www.eusink.com)

# EUSINK WORK TABLE STAINLESS STEEL

Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Picture																																																				
WT3-12060	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x600x800																																																					
		Stainless Steel 304	Stainless Steel 304				WT3-12080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x800x800	Stainless Steel 304	Stainless Steel 304	WT3-15060	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x600x800		Stainless Steel 304	Stainless Steel 304	WT3-15080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x800x800	Stainless Steel 304	Stainless Steel 304	WT3-18060	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x600x800		Stainless Steel 304	Stainless Steel 304	WT3-18080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x800x800	Stainless Steel 304	Stainless Steel 304										
WT3-12080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x800x800																																																					
		Stainless Steel 304	Stainless Steel 304				WT3-15060	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x600x800		Stainless Steel 304	Stainless Steel 304	WT3-15080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)		1500x800x800	Stainless Steel 304	Stainless Steel 304	WT3-18060	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x600x800		Stainless Steel 304	Stainless Steel 304	WT3-18080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201		1.0mm (0.6mm-1.5mm are available)	1800x800x800	Stainless Steel 304	Stainless Steel 304																
WT3-15060	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x600x800																																																					
		Stainless Steel 304	Stainless Steel 304				WT3-15080	Three-deck Work Table		Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)		1500x800x800	Stainless Steel 304	Stainless Steel 304	WT3-18060	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201		1.0mm (0.6mm-1.5mm are available)	1800x600x800		Stainless Steel 304	Stainless Steel 304	WT3-18080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201		1.0mm (0.6mm-1.5mm are available)	1800x800x800	Stainless Steel 304	Stainless Steel 304																							
WT3-15080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x800x800																																																					
		Stainless Steel 304	Stainless Steel 304			WT3-18060	Three-deck Work Table	Stainless Steel 201		Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x600x800			Stainless Steel 304	Stainless Steel 304	WT3-18080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x800x800	Stainless Steel 304		Stainless Steel 304																																	
WT3-18060	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x600x800																																																					
		Stainless Steel 304	Stainless Steel 304			WT3-18080	Three-deck Work Table			Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x800x800		Stainless Steel 304	Stainless Steel 304																																										
WT3-18080	Three-deck Work Table	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x800x800																																																					
		Stainless Steel 304	Stainless Steel 304																																																							

Confused? Please contact us for any questions

 [www.eusink.com](http://www.eusink.com)



# EUSINK SHELVE STAINLESS STEEL



Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Picture	
SH4-1200	Four Layers Stainless Steel Solid Shelf	Stainless Steel 201	Stainless Steel 201	1.0	1200x500x1600		
		Stainless Steel 304					
SH4-1500	Four Layers Stainless Steel Solid Shelf	Stainless Steel 201	Stainless Steel 201	1.0	1500x500x1600		
		Stainless Steel 304					
SH4-1800	Four Layers Stainless Steel Solid Shelf	Stainless Steel 201	Stainless Steel 201	1.0	1800x500x1600		
		Stainless Steel 304					
SH4-1200T	Four Layers Stainless Steel T-Bar Shelf	Stainless Steel 201	Stainless Steel 201	1.0	1200x500x1600		
		Stainless Steel 304					
SH4-1500T	Four Layers Stainless Steel T-Bar Shelf	Stainless Steel 201	Stainless Steel 201	1.0	1500x500x1600		
		Stainless Steel 304					
SH4-1800T	Four Layers Stainless Steel T-Bar Shelf	Stainless Steel 201	Stainless Steel 201	1.0	1800x500x1600		
		Stainless Steel 304					



Confused? Please contact us for any questions

 [www.eusink.com](http://www.eusink.com)

# EUSINK SHELVE STAINLESS STEEL

Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Picture
SH4-1200P	Four Layers Stainless Steel Perforated Shelf	Stainless Steel 201	Stainless Steel 201	1.0	1200x500x1600	
		Stainless Steel 304				
SH4-1500P	Four Layers Stainless Steel Perforated Shelf	Stainless Steel 201	Stainless Steel 201	1.0	1500x500x1600	
		Stainless Steel 304				
SH4-1800P	Four Layers Stainless Steel Perforated Shelf	Stainless Steel 201	Stainless Steel 201	1.0	1800x500x1600	
		Stainless Steel 304				
WSP-60	Stainless Steel Pipe Wall shelf	Stainless Steel 201	1.0mm Thickness	600x300x200		
		Stainless Steel 304				
WSP-90	Stainless Steel Pipe Wall shelf	Stainless Steel 201	1.0mm Thickness	900x300x200		
		Stainless Steel 304				
WSP-100	Stainless Steel Pipe Wall shelf	Stainless Steel 201	1.0mm Thickness	1000x300x200		
		Stainless Steel 304				
WSP-100	Stainless Steel Pipe Wall shelf	Stainless Steel 201	1.0mm Thickness	1200x300x200		
		Stainless Steel 304				
WSP-100	Stainless Steel Pipe Wall shelf	Stainless Steel 201	1.0mm Thickness	1500x300x200		
		Stainless Steel 304				



Confused? Please contact us for any questions

 [www.eusink.com](http://www.eusink.com)

# EUSINK SHELVE STAINLESS STEEL

Item	Description	Body Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Picture	
WSP-180	Stainless Steel Pipe Wall shelf	Stainless Steel 201	1.0mm	1800x300x200		
		Stainless Steel 304				
WSP-200	Stainless Steel Pipe Wall shelf	Stainless Steel 201	1.0mm	2000x300x200		
		Stainless Steel 304				
WSS-60	Stainless Steel Solid Wall shelf	Stainless Steel 201	1.0mm	600x300x200		
		Stainless Steel 304				
WSS-90	Stainless Steel Solid Wall shelf	Stainless Steel 201	1.0mm	900x300x200		
		Stainless Steel 304				
WSS-100	Stainless Steel Solid Wall shelf	Stainless Steel 201	1.0mm	1000x300x200		
		Stainless Steel 304				
WSS-120	Stainless Steel Solid Wall shelf	Stainless Steel 201	1.0mm	1200x300x200		
		Stainless Steel 304				
WSS-150	Stainless Steel Solid Wall shelf	Stainless Steel 201	1.0mm	1500x300x200		
		Stainless Steel 304				
WSS-180	Stainless Steel Solid Wall shelf	Stainless Steel 201	1.0mm	1800x300x200		
		Stainless Steel 304				



Confused? Please contact us for any questions

 [www.eusink.com](http://www.eusink.com)

# EUSINK CABINET STAINLESS STEEL


Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Picture
CA2-12060	Two Layers Stainless Steel Cabinet with Top Worktable	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1200x600x800	
		Stainless Steel 304	Stainless Steel 304			
CA2-15060	Two Layers Stainless Steel Cabinet with Top Worktable	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x600x800	
		Stainless Steel 304	Stainless Steel 304			
CA2-18060	Two Layers Stainless Steel Cabinet with Top Worktable	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x600x800	
		Stainless Steel 304	Stainless Steel 304			
CA2-15080	Two Layers Stainless Steel Cabinet with Top Worktable	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1500x800x800	
		Stainless Steel 304	Stainless Steel 304			
CA2-18080	Two Layers Stainless Steel Cabinet with Top Worktable	Stainless Steel 201	Stainless Steel 201	1.0mm (0.6mm-1.5mm are available)	1800x800x800	
		Stainless Steel 304	Stainless Steel 304			

Confused? Please contact us for any questions

 [www.eusink.com](http://www.eusink.com)



# EUSINK TROLLEY STAINLESS STEEL

Item	Description	Body Material	Legs Material	Sheet Thickness	Dimensions (W x D x H) (mm)	Picture
GN Trolleys-10	10 Layers GN Trolley	Stainless Steel 201	Wear resistant casters+25mm Square Tube+Bolt assembly	1.0mm	450x630x1200	
		Stainless Steel 304				
GN Trolleys-15	15 Layers GN Trolley	Stainless Steel 201	Wear resistant casters+25mm Square Tube+Bolt assembly	1.0mm	450x630x1700	
		Stainless Steel 304				
GN Trolleys-20	20 Layers GN Trolley	Stainless Steel 201	Wear resistant casters+25mm Square Tube+Bolt assembly	1.0mm	450x630x2200	
		Stainless Steel 304				



ST1-F	Stainless Steel Flat Trolley	Stainless Steel 201 Stainless Steel 304	Wear resistant casters	1.0mm	900x550x800	
ST2-A	Two Layers Stainless Steel Assembled Trolley	Stainless Steel 201 Stainless Steel 304	Wear resistant casters	1.0mm	850x450x900	
ST3-A	Three Layers Stainless Steel Assembled Trolley	Stainless Steel 201 Stainless Steel 304	Wear resistant casters	1.0mm	850x450x900	

Confused? Please contact us for any questions

[www.eusink.com](http://www.eusink.com)



# EUSINK GAS GRILL WITH EXHAUST STAINLESS STEEL

Item	Description	Body Material	Grill Material	Sheet Thickness	Glory Hole Dimen(W x D )(mm)	External Dimensions (W x D x H)	Picture
GGE-1135	Liquefied Gas: 0.67-0.73KG/H	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	900*160	1100*350*240	
GGE-1139	Natural Gas: 0.7-0.9m³/H Press: 1.8-3.5Kpa	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	900*200	1100*390*240	
GGE-1145	220V Turn to DC12V	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	900*260	1100*450*240	
GGE-1535	Liquefied Gas: 0.67-0.73KG/H	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	1300*160	1500*350*240	
GGE-1539	Natural Gas: 0.7-0.9m³/H Press: 1.8-3.5Kpa	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	1300*200	1500*390*240	
GGE-1545	220V Turn to DC12V	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	1300*260	1500*450*240	
GGE-1835	Liquefied Gas: 0.67-0.73KG/H	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	1600*160	1800*350*240	
GGE-1839	Natural Gas: 0.7-0.9m³/H	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	1600*200	1800*390*240	

Confused? Please contact us for any questions

[www.eusink.com](http://www.eusink.com)



Qingdao Eusink Industrial Ltd.  
☎ 86-18866208073

No.37 Haier Road, Qingdao Shandong, China, 266100  
✉ dom@eusink.com

# EUSINK GAS GRILL WITH EXHAUST STAINLESS STEEL

Item	Description	Body Material	Grill Material	Sheet Thickness	Glory Hole Dimen(W x D )(mm)	External Dimensions (W x D x H)	Picture
GGE-1845	Press: 1.8-3.5Kpa 220V Turn to DC12V	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	1600*260	1800*450*240	
GGE-1935	Liquefied Gas: 0.67-0.73KG/H	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	1750*160	1950*350*240	
GGE-1939	Natural Gas: 0.7-0.9m <sup>3</sup> /H Press: 1.8-3.5Kpa 220V Turn to DC12V	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	1750*200	1950*390*240	
GGE-1945	Liquefied Gas: 0.67-0.73KG/H	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	1750*260	1950*450*240	
GGE-2335	Natural Gas: 0.7-0.9m <sup>3</sup> /H Press: 1.8-3.5Kpa 220V Turn to DC12V	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	2150*160	2350*350*240	
GGE-2339	Liquefied Gas: 0.67-0.73KG/H	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	2150*200	2350*390*240	
GGE-2345	Natural Gas: 0.7-0.9m <sup>3</sup> /H Press: 1.8-3.5Kpa 220V Turn to DC12V	Stainless steel 201 & Stainless steel 304	Thicken Stainless steel 304	1.0mm-1.2mm	2150*260	2350*450*240	

Confused? Please contact us for any questions

 [www.eusink.com](http://www.eusink.com)



# EUSINK GAS GRILL WITH EXHAUST STAINLESS STEEL



Confused? Please contact us for any questions

[www.eusink.com](http://www.eusink.com)

Qingdao Eusink Industrial Ltd.  
86-18866208073

No.37 Haier Road, Qingdao Shandong, China, 266100  
[dom@eusink.com](mailto:dom@eusink.com)